


1702/40 Видеомонитор цветного изображения ATLANTICO инструкция



Описание

Цветной видеомонитор пользовательского устройства **ATLANTICO 1702/40** от URMET - прекрасное эргономическое и эстетически гармоничное оборудование для привыкших доверять не только слуховому восприятию, но и зрительному образу.

Лаконичность форм и характеристик

Компактность и простота элегантных плавных форм ATLANTICO 1702/40 в белом глянце дополняются богатой палитрой цветных вставок в лицевой панели. Яркость цвета и контраст видеомонитора регулируется соответственно уровню освещения, также регулируется звук аудиоканала.

Комфортная безопасность

Монитор ATLANTICO легок в установке самого прибора и последующей настройке. Весь процесс представляет соединение со стандартными разъемами монтажной планки, а результат - безусловная прочность и надежность гарантированного удовлетворения высокого класса безопасности.

Характеристики

Размеры 220 мм (В) x 218 мм (Ш), и 80 мм - глубина

Питание 16 -18,5В

Макс. ток 0,35А

Мощность 6.5Вт

Частота развертки, вертикальная 50Гц ± 2Гц

Частота строк 15625 ± 300Гц

Сигнал видео 1В - 750м, min 1В – 6 Дб

Экран TFT - 4", 81x 59 мм.

Разрешение , pixel 380H x 250V


Система типа PAL

Включение экрана макс. 4 сек.


Предел температур -5 С до +45 С

Влажность макс. 90% RH





**ATLANTICO COLOUR VIDEO DOOR PHONE
Ref. 1702/40**



The Atlantico video door phone is a colour apartment station which can be used in Bibus 2nd Ed. VOP systems when equipped with the specific bracket.

As the black and white version, also this model has adjustable call tone volume and muting functions.

The video door phone is easy to install because no masonry work is needed and all connections are made to the bracket on which the video door phone will eventually be fastened. The handset connection is particularly ergonomic. A simple telephone plug is used.

The video door phone is only white but the front part can be customised by replacing the standard frame (blue) with one of the five frames from the Ref. 1702/50 kit.



The video door phone Ref. 1702/47 is set up to a speaker capable interfacing with hearing aids by means of the "T" function.

SPECIFICATIONS


The main characteristics of the video door phone are:

- Flat 4" LCD colour module.
- Adjustable and mutable call volume. The adjustment wheel appears red when the volume is muted.



When volume is set to "MUTE" the video door phone will not ring but the video module will light up.

- Door opener button is lit up and green when video module is on.
- Service buttons (◊ and ○) for activating, for example, supplementary electrical locks, staircase lights, video door phone auto-on function, etc.
- Adjustable brightness and colour.



TECHNICAL SPECIFICATIONS

- Power voltage: **16 ÷ 18.5Vdc**
- Working uptake: **max. 0.35A**
- Stand-by: **0A**
- Working power: **max. 6.5W**
- CCIR version: **Vertical frequency: 50Hz ± 2Hz**
Horizontal frequency: 15625 ± 300Hz
- Video signal: **1Vpp 75 Ω nominal**
1Vpp -6 dB minimum
4" back-lit
81 X 59mm
380H x 250V pixel
PAL
- LCD:
- Screen size: **4 sec. max.**
- Resolution:
- Colour system: **electret microphone**
- Switch-on delay:
- Transmitting capsule: **45Ω speaker**
- Receiving capsule: **24Veff. max.**
- Button voltage: **1.2Aeff**
- Button current:
- Operating temperature range: **-5° ÷ +50°C**
- Max. humidity: **90% RH**